



PFI4307CC
18/06/19

Foundation Powder Mocha SPF 80+

Description:

“Foundation Powder Mocha SPF 80+” is a very smooth and light foundation that combines full coverage and efficient sun protection. It is the ideal anti-aging makeup product as it protects the skin from UVAs. It evens out the skin tone and blurs fine lines for a smooth complexion.

Key ingredients:

- Dedraflow® 5 Luxe is a SVHC-free silicone substitute based on Hydrogenated Vegetable Oil and Hydrogenated Polyisobutene. It is an ultra soft emollient, which provides a light soft feel and an excellent spreadability to the formulation. It also acts as a SPF stabilizer.
- Creasperse® UVA/UVB VS 50 is a ready-to-use predispersed UV-filter based on ultrafine Zinc Oxide. It provides high UVA protection and water resistance, with a soft skin feel.
- Creasperse® BB AF Mocha is a ready-to-use colour shade dispersion especially developed for BB creams and foundations. It provides a natural and even coverage.

Ingredient	Phase	INCI Name	Qty%	Function
Creasperse® BB AF Mocha	A	Titanium Dioxide (CI 77891) (and) Hydrogenated Polydecene (and) Iron Oxides (CI 77492) (and) Polyhydroxystearic Acid (and) Iron Oxides (CI 77491) (and) Iron Oxides (CI 77499) (and) Distearidimonium Hectorite (and) Propylene Carbonate	20,00%	Pigment dispersion
Creasperse® TR 45 VS 50		Titanium Dioxide (and) Squalane (and) Triethoxycaprylsilane (and) Polyhydroxystearic Acid (and) Alumina	15,00%	UV-filter
Dedraflow® 5 Luxe		Hydrogenated Vegetable Oil (and) Hydrogenated Polyisobutene	14,20%	Photostable emollient, Drying agent, Cyclopentasiloxane replacement
Creasperse® UVA/UVB VS 50		Zinc Oxide (and) Squalane (and) Polyhydroxystearic Acid	12,00%	UV-filter
Creasterol®		C10-30 Cholesterol/Lanosterol Esters	8,00%	Nourishing, Thickener
Hectone® II DF		Hydrogenated Polyisobutene (and) Distearidimonium Hectorite (and) Propylene Carbonate	4,65%	Texturizer, Prevents sedimentation
Creageal® Crystal DF 5 HV		Hydrogenated Polyisobutene (and) Ethylene/Propylene Copolymer	4,15%	Viscosity modifier, Thickener
Phenoxyethanol (and) Caprylyl Glycol		Phenoxyethanol (and) Caprylyl Glycol	1,00%	–
Creaspheres® SIL WL 9	B	Silica	9,00%	Softness, Soft focus agent
Eospoly® PA 4+		Silica (and) Titanium Dioxide (and) Triethoxycaprylsilane (and) Alumina	8,00%	UV-filter, Softness
Creaspheres® SIL WL 3		Silica	4,00%	Softness, Soft focus agent

ISO 24443 *In Vitro* measurements SPF: 83 UVA ratio: 2,32 UVA-PF: 35,82 Critical wavelength: 384 UVA Pass: Validated

Procedure

Put phase A under stirring.
Pass in Turrax 2 minutes at 2000 rpm.
Add Phase B and put under Stirring during 10 minutes.

ISO 16128 Indexes

Natural Origin Content: 75,78
Natural Content: 8

Organic Origin Content: 0%
Organic Content: 0%

Important

Creasperse® TR 45 VS 50 should be homogenized before use.
Dedraflow® 5 Luxe should not be heated.
Creasperse® UVA/UVB VS 50 should be homogenized before use.
Hectone® II DF should be homogenized before use.