



PFI4440UV
02/09/19

Ultralight Face Honey SPF 50+

Description:

“Ultralight Face Honey SPF 50+” is an amazing sun care product developed to protect the skin from UV rays while erasing imperfections. This anhydrous cream has a very light consistency and is extremely soft to the touch due to Creaspheres® SIL WL 8 VF 10 and SVHC- free emollients.

Key ingredients:

- Creasperse® TR 35 HVO 65 is a ready-to-use predispersed UV-filter based on Titanium Dioxide and Hydrogenated Vegetable Oil. It provides high SPF and water resistance, with a soft skin feel.
- Creasperse® BB HVO is a ready-to-use colour shade dispersion based on Hydrogenated Vegetable Oil. Especially developed for BB creams and foundations, it provides an extremely even coverage.
- Creaspheres® SIL WL 8 VF 10 is a spherical texturizing powder based on Silica microbeads and Hydrogenated Vegetable Oil. It provides luxurious feel and lubricity to cosmetic products. It is an excellent soft focus and mattifying agent.

Ingredient	Phase	INCI Name	Qty%	Function
Vegeflow® 10 ISO 16128	A	Hydrogenated Vegetable Oil	24,00%	Photostable emollient, Drying agent, Silicone substitute
Creasperse® UVA HVO		Titanium Dioxide (CI 77891) (and) Hydrogenated Vegetable Oil (and) Polyhydroxystearic Acid	15,00%	UV-filter
Creasperse® TR 35 HVO 65		Titanium Dioxide (CI 77891) (and) Hydrogenated Vegetable Oil (and) Polyhydroxystearic Acid	12,00%	UV-filter
Hectone® HVO		Hydrogenated Vegetable Oil (and) Distearidimonium Hectorite (and) Propylene Carbonate	5,00%	Texturizer, Prevents sedimentation
Creagel® Crystal 10 ISO 16128		Hydrogenated Vegetable Oil (and) Ethylene/Propylene Copolymer	4,00%	Viscosity modifier, Thickener
Creasperse® BB HVO Honey Beige		Hydrogenated Vegetable Oil (and) Titanium Dioxide (CI 77891) (and) Iron Oxides (CI 77492) (and) Iron Oxides (CI 77491) (and) Distearidimonium Hectorite (and) Iron Oxides (CI 77499) (and) Propylene Carbonate	20,00%	Pigment dispersion
Creaspheres® SIL WL 8 VF 10	B	Silica (and) Hydrogenated Vegetable Oil	12,00%	Softness
Eospoly® PA 4+		Silica (and) Titanium Dioxide (and) Alumina	8,00%	Softness, Soft focus agent

ISO 24443 *In Vitro* measurements SPF: 780 UVA ratio: 5,87 UVA-PF: 132,99 Critical wavelength: 384 UVA Pass: Not validated

Procedure

Put phase A under stirring.
Homogenize at 2000 rpm for 2 minutes. Add phase B.
Leave under stirring during 10 minutes.

ISO 16128 Indexes

Natural Origin Content: 97,35%
Natural Content: 0%

Organic Origin Content: 0%
Organic Content: 0%

Important

Creasperse® TR 35 HVO 65 should be homogenized before use.
Creasperse® UVA HVO should be homogenized before use.
Creasperse® BB HVO Honey Beige should be homogenized before use.
Hectone® HVO should be homogenized before use.