



PFI4996UV
15/07/20

Enjoy The Beach Lip Balm

Description:

"Enjoy The Beach Lip Balm" is a lip care product that was developed to protect women's lips, especially during summer time. This lip balm provides hydration, smoothness and repair due to Creabase® MSO and photostable emollients while Creasperse® UVA HVO protects the lips from the sun. Creasperse® Real Red highlights your smile with a delicious pinky tint.

Key ingredients:

- Creabase® MSO is a natural wax based on Meadowfoam Seed Oil. It is ideal for W/O emulsions as it deeply smooths, soothes and softens dry and sensitive skins. It also increases the stability of skin care products.
- Creasperse® UVA HVO is a ready-to-use predispersed UV-filter based on Titanium Dioxide and Hydrogenated Vegetable Oil. It provides high water resistance and soft skin feel without tackiness.
- Creasperse® Real Red is a ready-to-use predispersed colourant that provides a rich, intense and long-lasting colour. As it is heat- and photostable, it is ideal for wax-based products such as lipsticks.

Ingredient	Phase	INCI Name	Qty%	Function
Creabase® NTL 90	A	Polyethylene (and) Hydrogenated Vegetable Oil	3,00%	Texturizer
Creabase® MSO		Limnanthes Alba (Meadowfoam) Seed Oil (and) Candelilla Cera (and) Hydrogenated Meadowfoam Seed Oil	32,00%	Texturizer
Nordic Beauty Avena Finlandia		Avena Sativa (Oat) Kernel Oil	6,00%	Nourishing, Emollient
Tocopheryl Acetate		Tocopheryl Acetate	0,50%	Preservative
TIC Meadowfoam® MD ISO 16128	B	Limnanthes Alba (Meadowfoam) Seed Oil	9,50%	Nourishing, Emollient
Creasperse® UVA HVO		Titanium Dioxide (CI 77891) (and) Hydrogenated Vegetable Oil (and) Polyhydroxystearic Acid	19,00%	UV-filter
Creasperse® Real Red		Hydrogenated Polydecene (and) Red 30 Lake (CI 73360) (and) Red 6 Lake (CI 15850) (and) Polyhydroxystearic Acid	5,00%	Colourant
Vegeflow® 60 ISO 16128		Hydrogenated Vegetable Oil	25,00%	Emollient, Silicone substitute

ISO 24443 *In Vitro* measurements: SPF: 63 UVA ratio: 4,51 UVA-PF: 13,96 Critical wavelength: 378,5

Procedure

Weigh phase A and heat up to 90°C under stirring until homogenization.
When homogeneous, add phase B under stirring.
Homogenize at 4000 rpm for a few minutes.

ISO 16128 Indexes

Natural Origin Content: 90,84%
Natural Content: 43,5%

Organic Origin Content: 0%
Organic Content: 0%

Important

Creasperse® UVA HVO should be homogenized before use.
Creasperse® Real Red should be homogenized before use.