

PFI5632CS 18/05/2021

Hyper Balm Eye Contour WFE®

Description:

"Hyper Balm Eye Contour WFE®" is the skin care product that is perfectly suited for the most delicate eye contours. This water-free emulsion® is enriched with Fiflow® BTX to provide a soft, creamy texture while increasing microcirculation for an energizing effect.

Key ingredients:

- Creagel® Crystal LA is an auto-emulsifier that acts as a film former and moisture barrier, providing durable moisturization.
- Fiflow® BTX Loaded with O, provides instantaneous dermal filling and muscular relaxation effect and long-term effects due to its capacity to supply oxygen to the skin.
- Dedraflow® 5 Luxe is a SVHC-free silicone substitute based on Hydrogenated Vegetable Oil. It is an ultra soft emollient, which provides a light soft feel and an excellent spreadability to the formulation.

Ingredient	Phase	INCI Name	Qty%	Function
Hectone® HVO	Α	Hydrogenated Vegetable Oil (and) Disteardimonium Hectorite (and) Propylene Carbonate	24,00%	Rheology modifier
Creagel® Crystal LA		Isododecane (and) Limnanthes Alba (Meadowfoam) Seed Oil (and) Ethylene/Propylene Copolymer	19,00%	Film former, Moisture barrier, Viscosity modifier, Emollient
Creabase® NTL 80 HVO		Hydrogenated Vegetable Oil (and) Polyethylene (and) Isohexadecane	7,00%	Wax, Texturizer
Creabase® MSO		Limnanthes Alba (Meadowfoam) Seed Oil (and) Candelilla Cera (and) Hydrogenated Meadowfoam Seed Oil	5,00%	Texturizer, Photostable emollient, Nourishing
Creanatural® LAB		Butyrospermum Parkii (Shea) Butter Extract (and) Limnanthes Alba (Meadowfoam) Seed Oil $$	3,00%	Emollient, Nourishing, Skin protecting
Dedraflow® 5 Luxe	В	Hydrogenated Vegetable Oil (and) Hydrogenated Polyisobutene	19,50%	Photostable emollient, Drying agent, Cyclopentasi- loxane replacement
Creaspheres® SIL WL 8 VF 10	С	Silica (and) Hydrogenated Vegetable Oil	12,00%	Texturizer, Softness
Tocopheryl Acetate		Tocopheryl Acetate	0,50%	-
Fiflow® BTX loaded with O ₂	D	Perfluorohexane (and) Perfluoroperhydrophenanthrene (and) Perfluorodecalin (and) Perfluorodimethylcyclohexane (and) Oxygen	10,00%	Anti-age, Smoothing Effect, Muscle relaxant, Gas carrier

Heat up phase A under mixing until homogeneous. Procedure

Stop heating and add at room temperature the phase B under mixing until homogeneous.

Let cool down under slow mixing. Add phase C under stirring.

Put the base into fridge to obtain a temperature below 10°C.

Then add the Fiflow® under strong stirring. Homogenize at 4000 rpm during few seconds.

Efficacy Testing 2 subjects - On the hand:

- Microcirculation increase of 50% after 5 minutes of application - Wrinkles decrease by 14,88% in Delta D 5 minutes after application

- Wrinkles decrease by 10,53%% in Delta W 5 minutes after application

ISO 16128 Indexes Natural Origin Content: 60,76% Natural Content: 13,08%

Organic Origin Content: 0% Organic Content: 0%

Important Hectone® HVO should be homogenized before use.

Dedraflow® 5 Luxe should not be heated.

Fiflow® BTX loaded with O₂ should not be heated and airless packaging is recommended for the end product.

Fiflow® formulas should be made at 10°C temperature.